ECU HEALTH

Increasing Parenting Activities by Parents of Very Preterm Neonates in the NICU

Nusiebeh Redpath, MD MSPH FAAP

Uduak S Akpan, MD

Juan Guillen-Hernandez, MD

ECU Health Quality Improvement Symposium

January 29, 2025

Background/Introduction

- Disruption to the normative transition to parenthood
- Addressing limited parental participation in infant care during hospitalization
 - ■Participation includes feeding, kangaroo care, baths, diaper changes, etc
- ■Benefits?
 - ■Increase bonding
 - ■Improve parental mental health
 - ■Better outcomes of infant neurodevelopment




Aim Statement

To increase the number of days parents of very preterm infants (≤32 weeks of gestation) perform parenting activities in the NICU in the first two weeks of life by 50% within 1 year.


Improved Strategies Employed

- Fishbone & Key Driver Diagram
- Plan-Do-Study Act (PDSA) cycles
 - ■Baseline
 - ■Time Frame: June 2023 to April 2024
 - Key Stakeholders: Medical providers, parents, nurses, child-life, OB/LD staff
 - Only inborn, each cohort of eight patients





Plan-Do-Study Act (PDSA) Cycles



.neoactivities

Informed family during their infant's hospitalization they can be involved with parenting activities such as parentactivities during their infants hospitalization in the NICU. Sympathized with family that the NICU environment can be stressful and offered hospital support such as lactation specialist, family counselor, and/or chaplain.

changing diapers
talking
reading
singing
feeding
providing breastmilk
kangaroo care
holding

How to Parent in the NICU?





How to Parent in the NICU?

Benefits:

- Increase bonding
- Improve parental mental health
- Better outcomes of infant neurodevelopment

* Ask your bedside nurse for assistance with these activities

Giving Baths



Feeding and/or Providing
Breastmilk

Reading, Talking, and Singing

> Kangaroo Care/ Skin-to-Skin/ Holding/ Touching


Outcomes

■Outcome measure: median number of days parents participated in NICU activities in the first two weeks of life.


Process measures:

- percentage of antenatal counseling sessions that included parenting information
- percentage of parents that reported knowing about parenting activities.
- Balancing measure: median length of time spent on antenatal counseling.

Median Number of Days Parent Participated in Activities



Parents with Knowledge about Parenting Activities



Challenges Encountered in QI Process

- ■Barriers encountered included resistance to change by staff, challenges in documentation, and parental hesitancy/discomfort.
- ■Incorporating interventions across disciplines and units as well as the use of a smart phrase and QR code helped achieve our aim.

Lessons Learned

- ■A multidisciplinary approach to our project was instrumental in achieving our aim and incorporating interventions into the daily NICU workflow will help sustain noted changes.
- Education, process and cultural changes, and communication allowed for sustainability
- Next steps:
 - Parent-led family support system
 - Shared experiences/stories

Questions?

Presenter Contact Information:
Nusiebeh Redpath, MD MSPH FAAP
Perinatal-Neonatal Medicine
redpathn19@ecu.edu